

# Taking care and taking *control*

*Ask your  
doctor about  
a treatment  
option that can  
be added to your  
current asthma  
medication.*

## About Severe Asthma


### Living with asthma and taking care of yourself start with understanding the type of asthma you have.

Knowing your asthma type is especially important if you are taking multiple treatments, but symptoms still interfere with your daily activities. If you have poorly controlled, severe asthma, it may be hard to manage, even with high-dose inhalers and oral steroids. If this is you, there may be a treatment option that can bring relief—so you can start getting back to things that matter.

### Here are some signs that your asthma may be severe and poorly controlled:

- Even if you're taking multiple asthma medications, you still have symptoms.
- You sometimes have to take oral steroids for asthma attacks.
- Symptoms wake you up at night.
- You need to go for breathing treatment at your doctor's office.
- You've been to the emergency room or hospital due to asthma symptoms.
- Blood tests show that you have high levels of white blood cells called *eosinophils*.

Severe asthma with high eosinophil levels is called "eosinophilic asthma."




### What are eosinophils?

**Eosinophils** [*ee-uh-SIN-uh-fils*] are white blood cells that help fight infection and illness. We all have eosinophils as a normal part of our immune systems. However, high levels can lead to inflammation of the airways, asthma symptoms, and asthma attacks.


### Do you have high eosinophils?

Your doctor can measure your eosinophil levels with a simple blood test.

If your test results show a high level, your doctor may recommend additional treatment that can reduce eosinophils.



High Eosinophil Levels




Normal Levels

### Continue reading to learn more

There may be a treatment option that can help with your eosinophil levels.

### Here's what you need to know about CINQAIR:

- It is a prescription medicine for severe, uncontrolled eosinophilic asthma.
- When added to other medicines for asthma, it has been proven to prevent severe asthma attacks and help people breathe better.
- It may also help you to have fewer asthma symptoms and improve your quality of life.
- It offers personalized, weight-based dosing and is always administered by a healthcare provider



Weight-based dosing enables your doctor to personalize a dose to you. Personalized doses are calculated based on your weight at the time of your treatment.

### IMPORTANT SAFETY INFORMATION

**What is the most important information I should know about CINQAIR® (reslizumab) Injection?**

**CINQAIR can cause serious side effects, including:**

**Serious allergic reactions (anaphylaxis).** Serious allergic reactions can happen right after you receive your CINQAIR infusion. These reactions can cause death. Allergic reactions sometimes do not happen right away. Your healthcare provider will watch you during and after you receive your CINQAIR infusion for any signs of a reaction.

**Please see additional Important Safety Information throughout and the accompanying Full Prescribing Information, including Boxed WARNING.**

### CINQAIR works in a way that is different from inhalers or steroids.

Exposure to asthma triggers can activate eosinophils and cause them to multiply. This increase in eosinophils can lead to airway inflammation, asthma symptoms, and asthma attacks.

CINQAIR reduces the production and survival of eosinophils and reduces asthma symptoms.\*

\*The mechanism of action of CINQAIR is not fully understood.



Watch a video at [CINQAIR.COM](https://www.cinqair.com)  
See how asthma symptoms can be reduced.



### IMPORTANT SAFETY INFORMATION *(continued)*

Tell your healthcare provider right away if you have any of the following symptoms that may be associated with an allergic reaction:

- breathing problems
- paleness
- flushing
- skin rash (hives)
- itching
- swelling of your face, lips, mouth, or tongue
- symptoms of low blood pressure (fainting, dizziness, light headedness, confusion, fast heart beat)
- nausea or abdominal discomfort

## Results with CINQAIR

### Proven results:

Fewer asthma attacks

Better breathing

Improved symptom control and quality of life

CINQAIR was studied in people with poorly controlled, severe asthma and a higher than normal level of eosinophils. When added to their other asthma treatments, CINQAIR provided relief **as early as 4 weeks**. Plus, improvements were seen through the end of the **1-year studies**.

### IMPORTANT SAFETY INFORMATION *(continued)*

#### What is CINQAIR?

CINQAIR is a prescription medicine used with other asthma medicines for the maintenance treatment of asthma in people aged 18 years of age and older whose asthma is not controlled with the current asthma medicines. When added to other medicines for asthma, CINQAIR helps prevent severe asthma attacks (exacerbations) and can improve your breathing.

Medicines such as CINQAIR reduce blood eosinophils. Eosinophils are a type of white blood cell that may contribute to your asthma.

- CINQAIR is not used to treat other problems caused by eosinophils.
- CINQAIR is not used to treat sudden breathing problems.

It is not known if CINQAIR is safe and effective in children less than 18 years of age.

**Please see additional Important Safety Information throughout and the accompanying Full Prescribing Information, including Boxed WARNING.**



### Fewer asthma attacks

#### In studies:

**CINQAIR consistently helped prevent exacerbations during one-year studies.**

**The majority of people who added CINQAIR** to other asthma medicines did not have an asthma attack, compared with people who did not add CINQAIR.

- As many as **3 in 4** people who added CINQAIR did not have an asthma attack for the entire year.
  - In comparison, only **about half** of people who did not add CINQAIR were free of asthma attacks.

#### **CINQAIR also reduced asthma attacks that\*:**


- Required the use of oral steroids.
- Resulted in visits to the hospital or emergency room.

\*No clinical studies have assessed reduction of maintenance corticosteroid dosages following use of CINQAIR.

### Watch real patient stories

Visit [CINQAIR.COM](http://CINQAIR.COM) to hear real patients talk about their individual experience with CINQAIR.

## Results with CINQAIR



### Better breathing

Better lung function means better breathing. Studies showed that people who added CINQAIR to their asthma medications had improved lung function test results when compared with people who did not add CINQAIR to their asthma therapy.

If you aren't sure how well your lungs are working, talk to your doctor about getting a lung function test.

### IMPORTANT SAFETY INFORMATION *(continued)*

**Do not receive CINQAIR** if you are allergic to reslizumab or any of the ingredients in CINQAIR. See the enclosed Full Prescribing Information for a complete list of the ingredients in CINQAIR.

**Please see additional Important Safety Information throughout and the accompanying Full Prescribing Information, including Boxed WARNING.**

### Improved symptom control and quality of life

People who added CINQAIR to their asthma medications reported an **overall better quality of life** compared with those who did not add CINQAIR. And people who added CINQAIR had better control over their symptoms\* than people who did not add CINQAIR.

\*As measured by the Asthma Quality of Life Questionnaire and the Asthma Control Questionnaire-7. These tools assess the physical and emotional impact of asthma and how well asthma is controlled.

### Watch real patient stories

Visit [CINQAIR.COM](https://www.cinqair.com) to hear real patients talk about their individual experience with CINQAIR.

## Is CINQAIR right for you?

**If you're wondering whether your current treatments are doing enough to control your asthma, the following may help.**

**Your asthma may not be under control if:**

You have had asthma symptoms during the day, two or more days a week. Symptoms may include wheezing, chest tightness, shortness of breath, or cough.

You have used a rescue inhaler more than twice in one week.

Your asthma symptoms interfere with daily activities.

You have had to take oral steroids for one or more asthma attacks over the last 12 months.

You have needed urgent medical care because of your asthma.

Your peak flow rates are lower than they have been in the past.

Your lung function (breathing) test results are below normal.

You have taken a blood test that shows high levels of eosinophils in your blood.

**Fill out the Asthma Discussion Guide on the back cover and talk with your doctor.**

**Please see additional Important Safety Information throughout and the accompanying Full Prescribing Information, including **Boxed WARNING**.**

## Talk to your doctor.

**Are you taking multiple asthma medications but still having symptoms?**

If the answer is yes, fill out the discussion guide on the back of this brochure. This guide can help you start a conversation with your doctor at your next appointment.

### Get helpful interactive tools

Visit [CINQAIR.COM](http://CINQAIR.COM) for tools to support treatment with CINQAIR.

## IMPORTANT SAFETY INFORMATION *(continued)*

**Before receiving CINQAIR, tell your healthcare provider about all of your medical conditions, including if you:**

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid unless your healthcare provider tells you to stop. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- have or have had cancer (malignancy).
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if CINQAIR will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with CINQAIR.
- are breastfeeding or plan to breastfeed. It is not known if CINQAIR passes into your breast milk. You and your healthcare provider should decide if you will receive CINQAIR and breastfeed. Talk to your healthcare provider about the best way to feed your baby if you receive CINQAIR.

**Do not** stop taking your other asthma medicines unless your healthcare provider tells you to.

## What to Expect When Starting Treatment

### CINQAIR is given once every 4 weeks.

It is an intravenous (IV) infusion given by a healthcare provider. A small needle is placed into a vein in your hand or arm, allowing the medicine to go directly into your body. It takes as little as 20 to 50 minutes to receive the full dose of CINQAIR.



CINQAIR is given by a healthcare provider using a 50-mL bag—the smallest IV bag available.

### CINQAIR is an “add-on” medication.

This means it is taken along with the medications you are already taking, such as inhalers and oral steroids. If you and your doctor decide that CINQAIR is right for you, keep taking your other asthma medications unless your doctor tells you not to.

**Please see additional Important Safety Information throughout and the accompanying [Full Prescribing Information](#), including [Boxed WARNING](#).**

### CINQAIR is always given by a healthcare provider at your choice of location.

Whether you receive CINQAIR at your **doctor’s office**, **at home**, or **at an infusion center**, your healthcare provider will prepare your dose before each treatment. Your dose is personalized based on your weight at the time of treatment.

Wherever you receive CINQAIR, a healthcare provider will monitor you.



**Get CINQAIR appointment reminders so you never miss a dose.**

Visit [CINQAIR.COM](https://www.cinqair.com) for a calendar reminder and other interactive tools to support your treatment with CINQAIR.

### IMPORTANT SAFETY INFORMATION *(continued)*

**What are the possible side effects of CINQAIR?**

**CINQAIR may cause serious side effects, including:**

- See “What is the most important information I should know about CINQAIR?”
- abnormal growth of cells or tissue in your body that may or may not be cancer (malignancy)

**The most common side effects of CINQAIR include throat pain.**

These are not all the possible side effects of CINQAIR.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## Important Safety Information

### What is the most important information I should know about CINQAIR® (reslizumab) Injection?

#### CINQAIR can cause serious side effects, including:

**Serious allergic reactions (anaphylaxis).** Serious allergic reactions can happen right after you receive your CINQAIR infusion. These reactions can cause death. Allergic reactions sometimes do not happen right away. Your healthcare provider will watch you during and after you receive your CINQAIR infusion for any signs of a reaction.

Tell your healthcare provider right away if you have any of the following symptoms that may be associated with an allergic reaction:

- breathing problems
- paleness
- flushing
- skin rash (hives)
- itching
- swelling of your face, lips, mouth, or tongue
- symptoms of low blood pressure (fainting, dizziness, light headedness, confusion, fast heart beat)
- nausea or abdominal discomfort

#### What is CINQAIR?

CINQAIR is a prescription medicine used with other asthma medicines for the maintenance treatment of asthma in people aged 18 years of age and older whose asthma is not controlled with the current asthma medicines. When added to other medicines for asthma, CINQAIR helps prevent severe asthma attacks (exacerbations) and can improve your breathing.

Medicines such as CINQAIR reduce blood eosinophils. Eosinophils are a type of white blood cell that may contribute to your asthma.

- CINQAIR is not used to treat other problems caused by eosinophils.
- CINQAIR is not used to treat sudden breathing problems.

**Please see the accompanying [Full Prescribing Information](#), including **Boxed WARNING**.**

It is not known if CINQAIR is safe and effective in children less than 18 years of age.

**Do not receive CINQAIR** if you are allergic to reslizumab or any of the ingredients in CINQAIR. See the enclosed Full Prescribing Information for a complete list of the ingredients in CINQAIR.

#### **Before receiving CINQAIR, tell your healthcare provider about all of your medical conditions, including if you:**

- are taking oral or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid unless your healthcare provider tells you to stop. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- have or have had cancer (malignancy).
- have a parasitic (helminth) infection.
- are pregnant or plan to become pregnant. It is not known if CINQAIR will harm your unborn baby. Tell your healthcare provider if you become pregnant during your treatment with CINQAIR.
- are breastfeeding or plan to breastfeed. It is not known if CINQAIR passes into your breast milk. You and your healthcare provider should decide if you will receive CINQAIR and breastfeed. Talk to your healthcare provider about the best way to feed your baby if you receive CINQAIR.

**Do not** stop taking your other asthma medicines unless your healthcare provider tells you to.

#### **What are the possible side effects of CINQAIR?**

##### **CINQAIR may cause serious side effects, including:**

- See **“What is the most important information I should know about CINQAIR?”**
- **abnormal growth of cells or tissue in your body that may or may not be cancer (malignancy)**

##### **The most common side effects of CINQAIR include throat pain.**

These are not all the possible side effects of CINQAIR.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



## Discover personalized support

### Teva Support Solutions®

If you and your doctor decide that CINQAIR is right for you, you're already doing a lot to take care of yourself! Teva Support Solutions® is here to help you along the way.

When your doctor prescribes CINQAIR, you can be connected to Teva Support Solutions® for personalized support in understanding your treatment, insurance, and financial assistance you may be eligible for. We can also put you in contact with a Clinical Nurse Educator.

To learn more, call 1-844-838-2211, Monday through Friday from 9 am to 7 pm ET. You can also visit [www.TevaSupportSolutions.com](http://www.TevaSupportSolutions.com) or ask your doctor for more information.

### Save this number

Add this number to your contacts so you don't miss a call from us.

**913-777-2467**




### At-home treatment support

If you choose to receive CINQAIR infusions at home by a healthcare professional, Teva Support Solutions® works with your specialty pharmacy to make sure CINQAIR is delivered to your home for your scheduled in-home treatment.

**Please see Important Safety Information throughout and the accompanying Full Prescribing Information, including Boxed WARNING.**

### Here for you every step of the way.

Teva Support Solutions® is committed to helping people with severe eosinophilic asthma. Discover the individuals who are ready to help.



#### Your Case Administrator

provides phone-based support throughout your treatment to help you:

- Better understand your health insurance coverage.
- Find financial assistance options that may be available to you.
- Locate a treatment center that is convenient and covered by your insurance.
- Connect with a **Clinical Nurse Educator** for services and support if available in your area.



#### Your Clinical Nurse Educator (CNE)

provides education and support—virtually or in person, if available in your area—to help you:

- Learn more about severe eosinophilic asthma and CINQAIR.
- Answer questions about your treatment experience.

**TEVA SUPPORT  
SOLUTIONS**

**1-844-838-2211**

Monday–Friday, 9AM–7PM ET  
[www.TevaSupportSolutions.com](http://www.TevaSupportSolutions.com)

## Financial Assistance for CINQAIR

### The CINQAIR Cost Support Program.

If you have commercial health insurance coverage for CINQAIR, you may pay as little as \$0 out-of-pocket for the cost of CINQAIR and its administration (up to \$10,000 per year).\*

You may pay as little as



*Up to \$10,000 per year\**

See how you could save on out-of-pocket treatment costs.

\*The CINQAIR Cost Support Program helps commercially insured individuals in the United States (including the United States territories) who are prescribed CINQAIR pay for their eligible out-of-pocket costs for the drug and for administration of the drug, including co-pays, co-insurance, and deductibles.

Persons residing in a state that does NOT allow financial assistance for the administration of the drug may ONLY be eligible to receive out-of-pocket cost support for the drug. The Program does not cover the costs of physician office visits or evaluations, blood work or other testing, or transportation. Eligible individuals must have commercial insurance for CINQAIR. Uninsured and cash-paying patients are NOT eligible for this Program, nor are individuals with commercial insurance coverage that does not provide coverage for CINQAIR.

Talk to your Healthcare Provider or Insurance Provider for complete Terms and Conditions.

Please see Important Safety Information throughout and the accompanying [Full Prescribing Information](#), including **Boxed WARNING**.

### How the Program Works.

If eligible, you will receive a CINQAIR Cost Support Program Card in the mail. Present your card to your treatment provider to pay your out-of-pocket costs for treatment with CINQAIR.



**REMEMBER!** Keep your card in a safe place and bring it to your treatment appointments.

Find cost support information

Visit [tevasupportsolutions.com](https://tevasupportsolutions.com) to learn more.

### Other Support Options

If you have Medicare, Medicaid, TRICARE, other government insurance, or no insurance, we may be able to help you find programs or foundation support to make treatment more affordable.

## Talk to Your Doctor

### Asthma Discussion Guide

Use this guide to help start a conversation with your doctor.

I have had asthma symptoms during the day more than twice a week. Symptoms may include wheezing, chest tightness, shortness of breath, or cough.

Asthma has impacted my day-to-day life.

I have used my rescue inhaler more than twice a week.

I have needed urgent medical care because of my asthma.

My peak flow rates are lower than they have been in the past.

My lung function (breathing) test results are below normal.

My eosinophil levels are higher than normal.

### My Notes:

---

---

---

---

Talk with your doctor about the asthma symptoms you may still have while on treatment.

Scan this code to learn more  
at [CINQAIR.COM](https://www.cinqair.com).



Please see Important Safety Information throughout and the accompanying Full Prescribing Information, including **Boxed WARNING**.

